	Approved For Release 2003/12/11 : CIA-RDP80-0081 CLASSIFICATION	10A0009007600 0 5-4		25X1A
•	CENTRAL INTELLIGENCE AGENCY	REFORT NO.		
	INFORMATION REPORT	CD NO.		
DUNTRY	East Germany	DATE DISTR. 2	2 May 1953	
25X10BJECT	Railroad Construction Projects	NO. OF PAGES	4	
		NO. OF ENCLS.		25X1A
		SUPPLEMENT TO REPORT NO.		
25X1X				
MIS DOCUMENT C	ONTAINS INFORMATION AFFECTING THE BATIONAL DEFENSE ATES, WITHIN THE BEARING OF TITLE 19. SECTIONS 799 ATES, WITHIN THE BEARING OF THE PRICE SECTIONS 799 BY S. COOP, AS ABERDED. ITS TRANSMISSION OF REVEL- BY THE REPRODUCTION OF THIS FORM IS PROMISTED.	VALUATED INFORMATION	ON	
,			,	
25X1X		on the reconstructi		
25X1 1.	of the Friedrichstrasse railroad station was start	ted on 2 February. started at the Sch	oenhau-	
	ser Allee, Treptow and Baumschulenweg railroad sta work at the Mahlow, Teltow, Albrechtshof (Falkense dorf and Hohenneuendorf railroad stations had not	started.	nenn g s-	
2.	ser Allee, Treptow and Baumschulenweg railroad ste	started. 1 hstrasse railroad s	station	
2.	ser Allee, Treptom and Baumschulenweg railroad status work at the Mahlow, Teltow, Albrechtshof (Falkense dorf and Hohenneuendorf railroad stations had not The designs of the reconstruction of the Friedrick were completed in late January. According to these	started. 1 hstrasse railroad se designs, traffic ilroads	station	
2.	ser Allee, Treptow and Baumschulenweg railroad stawork at the Mahlow, Teltow, Albrechtshof (Falkense dorf and Hohenneuendorf railroad stations had not The designs of the reconstruction of the Friedrick were completed in late January. According to these handled as follows: Platform C east-west traffic of the elevated rails a west-east traffic of the elevated rails.	started. 1 hstrasse railroad se designs, traffic ilroads ilroads operations. es special switches he future, only the	station will	
 25X1 3.	ser Allee, Treptom and Baumschulenweg railroad state work at the Mahlow, Teltow, Albrechtshof (Falkense dorf and Hohenneuendorf railroad stations had not the designs of the reconstruction of the Friedrick were completed in late January. According to these handled as follows: Platform C east-west traffic of the elevated raim B west-east traffic of the elevated raim A interzonal traffic and long distance. The reconstruction of the railroad station requires which will be delivered by a plant in Gotha. In the so-called interzonal trains will enter West Berli railroads.	started. 1 hstrasse railroad se designs, traffic ilroads ilroads operations. es special switches he future, only the n via the elevated re being made for railroads between	station will s	
	ser Allee, Treptom and Baumschulenweg railroad stawork at the Mahlow, Teltow, Albrechtshof (Falkense dorf and Hohenneuendorf railroad stations had not the designs of the reconstruction of the Friedrick were completed in late January. According to these be handled as follows: Platform C east-west traffic of the elevated rail a management of the elevated rail and long distance. The reconstruction of the railroad station requires which will be delivered by a plant in Gotha. In the so-called interzonal trains will enter West Berlin railroads. In early February,	started. l hstrasse railroad se designs, traffic ilroads ilroads operations. es special switches he future, only the n via the elevated re being made for railroads between st	station will s e the	
25X1 3. 25X1X	ser Allee, Treptom and Baumschulenweg railroad stawork at the Mahlow, Teltow, Albrechtshof (Falkense dorf and Hohenneuendorf railroad stations had not The designs of the reconstruction of the Friedrick were completed in late January. According to these be handled as follows: Platform C east-west traffic of the elevated rail B west-east traffic of the elevated rail A interzonal traffic and long distance. The reconstruction of the railroad station require which will be delivered by a plant in Gotha. In the so-called interzonal trains will enter West Berli railroads. In early February, designs we laying of two new tracks for the Berlin elevated hauser Allee and Pankow-Schoenhausen railroad station.	started. l hstrasse railroad se designs, traffic ilroads ilroads operations. es special switches he future, only the n via the elevated re being made for railroads between st	station will see the Schoen-	
25X1 3. 25X1X	ser Allee, Treptow and Baumschulenweg railroad stawork at the Mahlow, Teltow, Albrechtshof (Falkense dorf and Hohenneuendorf railroad stations had not The designs of the reconstruction of the Friedrick were completed in late January. According to these be handled as follows: Platform C east-west traffic of the elevated rail a interzonal traffic and long distance. The reconstruction of the railroad station requires which will be delivered by a plant in Gotha. In the so-called interzonal trains will enter West Berli railroads. In early February, designs we laying of two new tracks for the Berlin elevated hauser Allee and Pankow-Schoenhausen railroad station region ters included the following projects: Project Loading bridges for the loading of vehicles	started. 1 hstrasse railroad se designs, traffic ilroads ilroads operations. es special switches he future, only the n via the elevated re being made for railroads between stions. 2 hal railroad headque Estimated Comin Eastmarks	station will see the Schoen- ar- st s	
25X1 3. 25X1X	ser Allee, Trepton and Baumschulenweg railroad stawork at the Mahlow, Teltow, Albrechtshof (Falkense dorf and Hohenneuendorf railroad stations had not the designs of the reconstruction of the Friedrick were completed in late January. According to these be handled as follows: Platform C east-west traffic of the elevated rail a interzonal traffic and long distance. The reconstruction of the railroad station requires which will be delivered by a plant in Gotha. In the so-called interzonal trains will enter West Berli railroads. In early February, designs we laying of two new tracks for the Berlin elevated hauser Allee and Pankow-Schoenhausen railroad station region ters included the following projects: Project	started. 1 hstrasse railroad se designs, traffic ilroads ilroads operations. es special switches he future, only the n via the elevated re being made for railroads between stions. 2 hal railroad headque Estimated Cos in Eastmarks 50,000 395,000	station will see the Schoen- ar- st s 4	
25X1 3. 25X1X	ser Allee, Treptow and Baumschulenweg railroad stawork at the Mahlow, Teltow, Albrechtshof (Falkense dorf and Hohenneuendorf railroad stations had not The designs of the reconstruction of the Friedrick were completed in late January. According to these be handled as follows: Platform C east-west traffic of the elevated raimage and interzonal traffic and long distance. The reconstruction of the railroad station requires which will be delivered by a plant in Gotha. In the so-called interzonal trains will enter West Berli railroads. In early February, designs we laying of two new tracks for the Berlin elevated hauser Allee and Pankow-Schoenhausen railroad station. The 1953 investment program of the Cottbus region term included the following projects: Project Loading bridges for the loading of vehicles Reconstruction of the bridge over the Neisse	started. 1 hstrasse railroad se designs, traffic ilroads ilroads operations. es special switches he future, only the n via the elevated re being made for railroads between stions. 2 hal railroad headque Estimated Comin Eastmarks	station will see the Schoen- ar- st s 4	
25X1 3. 25X1X	ser Allee, Trepton and Baumschulenweg railroad stawork at the Mahlow, Teltow, Albrechtshof (Falkense dorf and Hohenneuendorf railroad stations had not the designs of the reconstruction of the Friedrick were completed in late January. According to these be handled as follows: Platform C east-west traffic of the elevated rail a management of the elevated rail and long distance. The reconstruction of the railroad station require which will be delivered by a plant in Gotha. In the so-called interzonal trains will enter West Berli railroads. In early February, designs we laying of two new tracks for the Berlin elevated hauser Allee and Pankow-Schoenhausen railroad states. The 1953 investment program of the Cottbus region ters included the following projects: Project Loading bridges for the loading of vehicles Reconstruction of the bridge over the Neisse River in Muskau Reconstruction of the second track between misterwards and Ruhland	started. 1 hstrasse railroad se designs, traffic ilroads ilroads operations. es special switches he future, only the n via the elevated re being made for railroads between stions. 2 hal railroad headque Estimated Cos in Eastmarks 50,000 395,000	station will see the Schoen- ar- st s 4	, 25X1A
25X1 3. 25X1X	ser Allee, Trepton and Baumschulenweg railroad stawork at the Mahlow, Teltow, Albrechtshof (Falkense dorf and Hohenneuendorf railroad stations had not the designs of the reconstruction of the Friedrick were completed in late January. According to these be handled as follows: Platform C east-west traffic of the elevated rail a management of the reconstruction of the railroad station requires a interzonal traffic and long distance. The reconstruction of the railroad station requires which will be delivered by a plant in Gotha. In the so-called interzonal trains will enter West Berli railroads. In early February, designs we laying of two new tracks for the Berlin elevated hauser Allee and Pankow-Schoenhausen railroad state. The 1953 investment program of the Cottbus region ters included the following projects: Project Loading bridges for the loading of vehicles Reconstruction of the bridge over the Neisse River in Muskau Reconstruction of the second track between misterwards and Ruhland	started. 1 hstrasse railroad se designs, traffic ilroads ilroads operations. es special switches he future, only the n via the elevated re being made for railroads between stions. 2 hal railroad headque Estimated Cos in Eastmarks 50,000 395,000	station will see the Schoen- ar- st s 4	

-2-

SECRET

25X1A

	Project				timated Co Eastmarks		
	Reconstr Falkenbe	ruction of terg and Guben	he second track between	en 8,	000,000 ⁶	5	
	Constru	ction of a co	nnecting curve at Horl	ca.	276,000	7	
			ckrc-Beeskow line		560,000	3	
25X1 5- 25X1X	near Mu headqua built b been fi	superstructuskau were to rters, while by the Poles. xed. The demo	re of the railroad bribe reconstructed by the eastern abutment. The date for beginning lished sections of the	of the bridge was construction of previous bridge	leisse Riv onal rail ms to be work had lge are st	er road re- not ill igns	,
25/1/	for the	reconstructi	on of the bridge woul	d be compreded	by mid-re	or and h	
25 <mark>X1 6.</mark> 25X1X	TF -7 -3-	tracking for	ine was approved, whi that line in the Hall	the double trule additional permitroad dist	projects f	or the	8
25X1 7.	the Duc	January, Cherow-Usedom- idge was destricted was	the Swinemuende railroad royed during the war, s designed as a lifting	railroad bridg line was to be and only the m ag bridge, rema	reconstr	icted.	e) ¹⁰
8.	The 10	53 investment	program of the Directing additional constru	corate Ceneral,	Railroad	s, Berlin	l ,
•	Railro	ad District	Type of Construction	Project			
	Berlin		Electrification of the line (Nordring Berlin	ne Berlin/Karow n)	-Birkenwe	rder	11
	Greifs	wald	Reconstruction of the at New Ruednitz	e bridge over t	he Oder R	iver	12
	Halle		Electrification of r	allroad lines			13
	Erfurt	,	Dismantling of the G (the rails will be u of the second track	sed for the rec	constructi	.QII	14
25X1X	A tota additi	al of 350.8 ki	of rails and 521,480 etion project.	ties will be	required f	or the	
25X1 9	1	oridges were	pad bridge or the rall destroyed and the descriver. There were no it k. However, it was no the bridges or both of	ndications of ored among the	ar Muskau. sections v intended v local pop	. The were stil recon- pulation	1
25X1	~ ~	On 4 February toward the Od ment was in a	er River was dismantle delayed state. Telegr	the railroad ed and that the raph poles were	railroad	embank-	
			SECRETA				

٠		SECRET/	25X1A
		-5	
25X1		as New Ruednitz. The bridge over the Oder River near Wriezen is about 800 meters in length. The section of the bridge over the Oder River itself which is about 200 meters wide was demolished. According to a local resident, the middle section of the destroyed bridge was salvaged in early January did not notice any indications of an intended reconstruction of the bridge.	
25X1A 25X1	1.	Comment. Information on the establishment of railroad check points was transmitted previously.	25X1A
25X1A	2	Comment. This connecting curve is designed to eliminate the Gesund- brunnen railroad station in the French Sector of Berlin.	" 25X1A
25X1A	3.	Comment. These loading bridges are used between buffers of two rail-road cars for the loading of vehicles up to three tons. They are mostly used on troop trains.	
25X1A	4.	Comment. It appears that the reconstruction of the railroad bridge over the Neisse River near Muskau was added to the 1953 railroad construction program for strategic reasons. Reconstruction work had not started by late January.	25X1A
25X1A 25X1A	5.	Comment The Elsterwerda/Biehla-Plessaforst section of the line has already been double tracked.	
25X1A	6.	Comment. The double tracking of the Falkenberg-Cottbus-Guben rail-road line was included in the 1952 construction program. However, the project could not be completed in 1952, due to a shortage of construction material. For the present status of construction work on the line which	
25X1A		is of strategic importance,	
25X1A	7.	•	
25X1A 25X1A	8.	Comment. For last report on the improvement of this line, see	
25X1A	9.	at an estimated cost of 4,000,000 eastmarks was reported previously. See The stretch between Eisleben and Sangerhausen which	1
25X1A		continues this line to the west has already been double tracked.	
25X1A	10.	Peene River near Karnin is reported for the first time and requires confirmation. The double track Ducherow-Usedom-Swinemuende railroad line was dismantled. The reconstruction of the bridge was not included in the 1953 construction program of the Directorate General, Railroads, Berlin.	
25X1A 25X1		Information obtained Indicates that the bridge will not be reconstructed. This information agrees with a report, according to which it is intended to utilize still serviceable sections of the bridge near Karnin for the reconstruction of the bridge over the Oder River near Kuestrin or the railroad bridge over the Hohenzollern Canal on the Bad Freienwalde-Angermuende railroad line. There are strategic reasons which would make the reconstruction of the railroad bridge near Karnin and of the Ducherow-Usedom-Swinemuende railroad line plausible, because the now Polish sea port of Swinemuende would thus be given an efficient feeder line. Swineruende has no railroad connection to the German territory	25X1

SECRET

	SECRET	25X1A
	-4-	
	now under Polish administration. Railroad connection to the mainland is at present only maintained by the Zinnowitz-Wolgast ferry. Because of the acute shortage of construction material, the reconstruction of the Ducherow-Usedom-Swinemuende railroad line and of the bridge over the Peene River near Karnin is believed to be improbable.	ð
25X1A:1.	Cornent. The starting of the dcuble track operations on the Nord-ring Berlin was reported on 26 November 1952	
25X1A ¹² •	Comment. The reconstruction of the bridge over the Oder River near New Ruednitz which is also referred to as bridge near Zaeckerick was pre-	
25X1A _.	viously known. The reconstruction was only ordered for strategic reasons. As reconstruction work had not yet been started by early february, it appears that the Directorate General, Railroads, Berlin, is trying to delay the reconstruction of the bridge in which it is not interested.	er-
25X1A ¹ 3-	•	
25X1A ¹⁴	Comment. The stretch between Guben and Falkenberg is 7 km in length and is in the Erfurt railroad district close to the zonal boundary. The line section was still included in the 1952/1953 winter time-table under No 190. However, the time-table indicated that it was not in operations	•
25X1A15	Comment. As compared with 1952, the 1953 rails and ties requirement decreased by approximately 3C and 6C percent respectively. Information on 1953 production figures indicates that even the reduced rails and ties requirements will not be made.	- 1
	· · · · · · · · · · · · · · · · · · ·	
	•	
	*	
	erepri /	25X1A